INDEX TO VOLUME 54

AUTHOR INDEX

Adams, G. A. (see D. I. Fennell) 770	Bothast, R. J. (see D. I. Fennell) 770
Alexander, R. J., and M. C. Baur. Note on a	Breen, M. D., A. A. Seyam, and O. J. Banasik.
two-dimensional TLC procedure for	The effect of mill by-products and soy
determining aflatoxins in corn 699	protein on the physical characteristics of
Allen, J. E., L. F. Hood, and J. F. Chabot.	expanded snack foods 728
Effect of heating on the freeze-etch	and
ultrastructure of hydroxypropyl distarch phosphate and unmodified tapioca	Durum wheat air-classified flours and their
starches 783	effect on spaghetti quality 737
Anderson, P. D. (see P. L. Finney) 1259	Brekke, O. L. (see A. C. Stringfellow) . 415
Anderson, R. A., H. F. Conway, and L. H.	Brobst, K. M. (see H. D. Scobell) 905
Burbridge. Communication to the editor.	Bujard, E. (see O. De Rham) 238
Yield and chemical composition of	Burbridge, L. H. (see A. C. Stringfellow)
fractions from the dry milling of a high-	
lysine grain sorghum 855	(see R. A. Anderson) 855
(see H. F. Conway) 1290	Buré, J. (see B. Launay) 1042
	(see B. Launay) 1152
	Bushuk, W., and V. K. Mehrotra. Studies of
Baig, M. M., and R. C. Hoseney. Effects of	water binding by differential thermal
mixer speed, dough temperature, and	analysis. I. Dough studies using the boiling mode
water absorption on flour-water	mode
mixograms	binding by differential thermal analysis. II.
(see E. D. Weak) 794	Dough studies using the melting mode
Baker, C. W. (see N. C. Doty) 717	
Baker, D. Determining fiber in cereals	and Studies of water
Banasik, O. J. (see J. W. Dick) 246	binding by differential thermal analysis.
(see S. Vasiljevic)	III. Bread studies using the melting mode
(see M. D. Breen) 728	
(see M. D. Breen) 737	(see K. Khan) 588
(see C. A. Watson) 1264	(see K. Kobrehel) 833
Baur, M. C. (see R. J. Alexander) 699	
Bean, M. M., M. M. Hanamoto, K. D.	
Nishita, D. K. Mecham, and D. A. Fellers.	6 B - B W / - C W - 1
Soy-fortified wheat-flour blends. IV.	Calloway, D. H. (see S. Meyer) 110
Storage stability with several surfactant	Calvert, O. H. (see D. I. Fennell) 770
additives 1159	Carl J. F. (see C. J. Lynch) 1282
Bechtel, D. B. (see Y. Pomeranz) 25	Caul, J. F. (see K. M. Patel)
Beuchat, L. R. Modification of cookie-baking	Chiang, BY. and J. A. Johnson.
properties of peanut flour by enzymatic	Measurement of total and gelantinized
and chemical hydrolysis 405	starch by glucoamylase and o-toluidine
Bietz, J. A., F. R. Huebner, J. E. Sanderson,	reagent
and J. S. Wall. Wheat gliadin homology revealed through N-terminal amino acid	and Gelatinization
sequence analysis 1070	of starch in extruded products 436
Binder, S. F. (see E. R. Skoch) 1218	Chibber, B. A. K., E. Voicu, E. T. Mertz, and
	D. V. Glover. Studies on corn proteins. X1.
Bockholt, A. J. (see D. I. Fennell) 770	Distribution of lysine during germination
Bodwell, C. E. Application of animal data to	of normal and opaque-2 maize 558
human protein nutrition: a review . 958 Bolte, L. C. (see R. J. McGinty) 187	Chopra, S. L. (see R. K. Sethi) 79
and K. F. Finney. Note on small-	Chung, F. H. (see V. A. De Stefanis) 13
scale laboratory equipment for separating	Chung, O. K., Y. Pomeranz, K. F. Finney, J.
germ from wheat 306	D. Hubbard, and M. D. Shogren. Defatted
Booth, G. D. (see Y. Pomeranz) 1034	and reconstituted wheat flours. I. Effects of
Dooring O. D. (See 1. 1 Officiality) 1034	solvent and soxhlet types on functional

INDEX TO VOLUME 54

AUTHOR INDEX

Adams, G. A. (see D. I. Fennell) 770	Bothast, R. J. (see D. I. Fennell) 770
Alexander, R. J., and M. C. Baur. Note on a	Breen, M. D., A. A. Seyam, and O. J. Banasik.
two-dimensional TLC procedure for	The effect of mill by-products and soy
determining aflatoxins in corn 699	protein on the physical characteristics of
Allen, J. E., L. F. Hood, and J. F. Chabot.	expanded snack foods 728
Effect of heating on the freeze-etch	and
ultrastructure of hydroxypropyl distarch phosphate and unmodified tapioca	Durum wheat air-classified flours and their
starches 783	effect on spaghetti quality 737
Anderson, P. D. (see P. L. Finney) 1259	Brekke, O. L. (see A. C. Stringfellow) . 415
Anderson, R. A., H. F. Conway, and L. H.	Brobst, K. M. (see H. D. Scobell) 905
Burbridge. Communication to the editor.	Bujard, E. (see O. De Rham) 238
Yield and chemical composition of	Burbridge, L. H. (see A. C. Stringfellow)
fractions from the dry milling of a high-	
lysine grain sorghum 855	(see R. A. Anderson) 855
(see H. F. Conway) 1290	Buré, J. (see B. Launay) 1042
	(see B. Launay) 1152
	Bushuk, W., and V. K. Mehrotra. Studies of
Baig, M. M., and R. C. Hoseney. Effects of	water binding by differential thermal
mixer speed, dough temperature, and	analysis. I. Dough studies using the boiling mode
water absorption on flour-water	mode
mixograms	binding by differential thermal analysis. II.
(see E. D. Weak) 794	Dough studies using the melting mode
Baker, C. W. (see N. C. Doty) 717	
Baker, D. Determining fiber in cereals	and Studies of water
Banasik, O. J. (see J. W. Dick) 246	binding by differential thermal analysis.
(see S. Vasiljevic)	III. Bread studies using the melting mode
(see M. D. Breen) 728	
(see M. D. Breen) 737	(see K. Khan) 588
(see C. A. Watson) 1264	(see K. Kobrehel) 833
Baur, M. C. (see R. J. Alexander) 699	
Bean, M. M., M. M. Hanamoto, K. D.	
Nishita, D. K. Mecham, and D. A. Fellers.	6 B - B W / - C W - 1
Soy-fortified wheat-flour blends. IV.	Calloway, D. H. (see S. Meyer) 110
Storage stability with several surfactant	Calvert, O. H. (see D. I. Fennell) 770
additives 1159	Carl J. F. (see C. J. Lynch) 1282
Bechtel, D. B. (see Y. Pomeranz) 25	Caul, J. F. (see K. M. Patel)
Beuchat, L. R. Modification of cookie-baking	Chiang, BY. and J. A. Johnson.
properties of peanut flour by enzymatic	Measurement of total and gelantinized
and chemical hydrolysis 405	starch by glucoamylase and o-toluidine
Bietz, J. A., F. R. Huebner, J. E. Sanderson,	reagent
and J. S. Wall. Wheat gliadin homology revealed through N-terminal amino acid	and Gelatinization
sequence analysis 1070	of starch in extruded products 436
Binder, S. F. (see E. R. Skoch) 1218	Chibber, B. A. K., E. Voicu, E. T. Mertz, and
	D. V. Glover. Studies on corn proteins. X1.
Bockholt, A. J. (see D. I. Fennell) 770	Distribution of lysine during germination
Bodwell, C. E. Application of animal data to	of normal and opaque-2 maize 558
human protein nutrition: a review . 958 Bolte, L. C. (see R. J. McGinty) 187	Chopra, S. L. (see R. K. Sethi) 79
and K. F. Finney. Note on small-	Chung, F. H. (see V. A. De Stefanis) 13
scale laboratory equipment for separating	Chung, O. K., Y. Pomeranz, K. F. Finney, J.
germ from wheat 306	D. Hubbard, and M. D. Shogren. Defatted
Booth, G. D. (see Y. Pomeranz) 1034	and reconstituted wheat flours. I. Effects of
Dooring O. D. (See 1. 1 Officiality) 1034	solvent and soxhlet types on functional

(breadmaking) properties 454	Dexter, J. E. and R. R. Matsuo. Changes in semolina proteins during spaghetti
D. Shogren. Defatted and reconstituted wheat flours. II. Effects of solvent type and extracting conditions on flours varying in breadmaking quality	processing
properties of surfactants in breadmaking. II. Composition of lipids associated with doughs containing various levels of surfactants	Adjustment of rheological properties of flours by fine grinding and air classification
Ciacco, C. F., and B. L. D'Appolonia. Characterization of starches from various tubers and their use in bread-baking	Dikeman, E. (see C. A. Watson) 1264 Dikeman, E. (see C. A. Watson) 120 and Y. Pomeranz. Note on mineral contents of dark hard and yellow
Clements, R. L. Distribution of ash among flour extracts and fractions and its relation to electrical conductivity	hard kernels separated from red winter wheat
suspensions and extracts in relation to flour ash	and soybean seed
flour proteins during fixation and embedding	conditioning of hard red spring wheat. I. Effects of wide power range on flour and bread quality
Daigger, G. C. (see R. J. McGinty) 187 Dam, R. Destruction of aflatoxins during	
fermentation and by-product isolation from artificially contaminated grains	Earle, F. R. Protein and oil in corn; variation by crop years from 1907 to 1972 70 Eldridge, A. C., K. Warner, and W. J. Wolf.
D'Appolonia, B. L. Rheological and baking studies of legume-wheat flour blends	Alcohol treatment of soybeans and soybean protein products 1229 El-Negoumy, A. M., C. W. Newman, and B. R. Moss. Chromatographic fractionation
	and composition of the components of the salt-soluble proteins from hiproly (CI 3947) and hiproly normal (CI 4362) barleys 332
(see N. Prentice) 1084 (see C. F. Ciacco) 1096 Davis, G. (see W. T. Greenaway) 373	Emodi, A. (see S. H. Rubin) 895
De Rham, O., P. Van De Rovaart, E. Bujard, F. Mottu, and J. Hidalgo. Fortification of soy protein with cheese whey protein and the effect of alkaline pH	Feillet, P., E. Fevre, and K. Kobrehel. Modifications in durum wheat protein properties during pasta dough sheeting
De Stefanis, V. A., J. G. Ponte, Jr., F. H. Chung, and N. A. Ruzza. Binding of crumb softeners and dough strengtheners during breadmaking 13	Fellers, D. A. (see M. M. Bean)

H. Calvert, W. D. Guthrie, A. J. Bockholt, A. Manwiller, and M. D. Jellum. Aspergillus flavus presence in silks and	Guthrie, W. D. (see D. I. Fennell) 770
insects from developing and mature corn	
ears	Hackler, L. R. Methods of measuring protein
Finley, J. W. Protein removal from gluten-	quality: a review of bioassay procedures
starch wash water 131	Hamada, A. (see H. Fuwa)
Finney, K. F. (see Y. Pomeranz) 25	Hanamoto, M. M. (see M. M. Bean) . 1159
(see L. C. Bolte)	Harland, B. F., and D. Oberleas. A modified
(see O. K. Chung) 484	method for phytate analysis using an ion-
(see M. D. Shogren) 616	exchange procedure: application to textured vegetable proteins 827
(see M. D. Shogren) 665	Hesseltine, C. W. (see O. L. Shotwell)
(see C. D. Magoffin) 760	620
(see O. R. Goforth) 1259 Finney, P. L. (see R. S. Ling) 388	Heyne, E. G. (see C. A. Watson) 161
(see C. D. Magoffin) 760	Hidalgo, J. (see O. De Rham) 238 Hill, R. D. (see G. R. Donovan) 638
G. L. Rubenthaler, H. C. Jeffers,	(see G. R. Donovan) 646
and P. D. Anderson. Short-time baking	(see M. P. Silvanovich) 1270
systems. III. Malt interdependence in a sugar-free formula 1259	Hood, L. F. (see J. E. Allen) 783
Fleming, S. E., and F. W. Sosulski.	and G. K. O'Shea. Calcium binding by hydroxypropyl distarch
Breadmaking properties of four	phosphate and unmodified starches
concentrated plant proteins 1124	
and F. W. Sosulski. Nutritive	Hoseney, R. C. (see R. S. Ling) 388
plant proteins and lysine 1238	(see R. S. Ling)
Fujino, Y. (see N. Kuroda) 997	(see E. D. Weak) 794
Fuwa, H., M. Nakajima, A. Hamada, and D.	P. A. Seib, and C. W. Deyoe. Use
V. Glover. Comparative susceptibility to amylases of starches from different plant	of salts of 6-acyl esters of L-ascorbic and
species and several single endosperm	D-isoascorbic acids in breadmaking
mutants and their double-mutant	(see D. R. Goforth) 1249
combinations with opaque-2 inbred Oh43	Hubbard, J. D. (see O. K. Chung) 454
maize 230	Y. Pomeranz, and F. S. Lai. Note
	on protein contents and amino acid composition of dark hard and yellow hard
Gallant D. (see K. Saio) 1171	kernels separated from red winter wheat
Gerrity, A. B. (see F. D. Vidal) 272	778
Gilbertson, J. T. (see Y. Pomeranz) 1034	Huebner, F. R. (see J. A. Bietz) 1070
Glover, D. V. (see H. Fuwa) 230	
(see B. A. K. Chibber) 558 Goforth, D. R., K. F. Finney, R. C. Hoseney,	Imai, S. (see S. Nagao)
and M. D. Shogren. Effect of strength and	(see S. Nagao) 300
concentration of acid on the functional	Inglett, G. E. (see H. C. Nielsen) 503
properties of solubilized glutens of good	Ishibashi, S. (see S. Nagao)
and poor quality bread flours 1249 Gohl, B., K. Larsson, M. Nilsson, O.	(see all ringers)
Theander, and S. Thomke. Distribution of	
carbohydrates in early harvested barley	leffers H C and C I Pubenthalas Effect of
grain	Jeffers, H. C., and G. L. Rubenthaler. Effect of roll temperature on flour yield with the
Goulden, M. L. (see O. L. Shotwell) 620 Greenaway, W. T., C. A. Watson, and G.	Brabender Quadrumat 1018
Davis. Factors for converting bushel	(see P. L. Finney) 1259
weight to hectoliter weight for six cereal	Jellum, M. D. (see D. I. Fennell) 770
grains, flax, and soybeans 373	Johnson, J. A. (see K. M. Patel) 379
Griffin, E. L. (see A. C. Stringfellow) . 415 Gumbmann, M. R. (see C. A. Watson)	(see BY. Chiang) 429 (see BY. Chiang) 436
	(See B1. Chang) 450

Jones, B. L., and A. S. Mak. Amino acid	chopin alveographe as a rheological tool. I.
sequences of the two α-purothionins of	Dough deformation measurements
hexaploid wheat 511	
Jones, R. A., and C. Y. Tsai. Changes in lysine	and J. Buré. Use of the chopin
and tryptophan content during	alveographe as a rheological tool. II.
germination of normal and mutant maize	Dough properties in biaxial extension
seed 565	1152
	Law, D. P., and R. Tkachuk. Near infrared
	diffuse reflectance spectra of wheat and
Kanbe, T. (see S. Nagao) 198	wheat components
(see S. Nagao) 300	and Determination
Kaneko, Y. (see S. Nagao) 198	of moisture content in wheat by near-
(see S. Nagao) 300	infrared diffuse reflectance spectrophoto-
Kaoc, (see F. J. Robinson) 1192	metry 874
Kasai, Z. (see K. Tanaka) 684	Lee, J. W. (see G. R. Donovan) 638
	(see G. R. Donovan) 646
(see M. Ogawa) 1029	Lii, CY., and D. R. Lineback. Characteriza-
Kattan, A. A. (see R. N. Sharp) 1288	tion and comparison of cereal starches
Khan, K., and W. Bushuk. Studies of glutenin.	
IX. Subunit composition by sodium	
dodecyl sulfate-polyacrylamide gel elec-	Lillehoj, E. B., D. I. Fennell, and W. F.
trophoresis at pH 7.3 and 8.9 588	Kwolek. Aflatoxin and aspergillus flavus
Kilborn, R. H. (see K. H. Tipples) 92	occurrence in 1975 corn at harvest from a
Kim, S. K., and B. L. D'Appolonia. Effect of	limited region of Iowa 366
pentosans on the retrogradation of wheat	(see O. L. Shotwell) 620
starch gels 150	(see D. I. Fennell) 770
and Bread staling	Lineback, D. R. (see CY. Lii) 138
studies. I. Effect of protein content on	Ling, R. S., R. C. Hoseney, and P. L. Finney.
	Nonfat dry milk fractions in bread-
staling rate and bread crumb pasting	making. II. Effect on oxidation require-
properties 207	ment
and Bread staling	and Effect of certain
studies. II. Effect of protein content and	nutrients on the gas produced in
storage temperature on the role of starch	
216	preferments
and Bread staling	Loew, R. J. (see G. S. Ranhotra) 496
studies. III. Effect of pentosans on dough,	Lorenz, K., G. MacFarland, and J. Maga.
bread, and bread staling rate 225	Research note on pressure digestion of
Kingswood, K. (see N. L. Stenvert) 627	cereal grains and flours for mineral
Kobrehel, K. (see P. Feillet) 580	analysis by atomic absorption 281
and W. Bushuk. Studies of	(see K. Verdeal) 475
Glutenin. X. Effect of fatty acids and their	and J. Welsh. Agronomic and
	baking performance of semi-dwarf
sodium salts on solubility in water . 833	triticales
Kruger, J. E., and K. Preston. The distribution	Lynch, C. J., C. K. Rha, and N. Catsimpoolas.
of carboxypeptidases in anatomical tis-	Note on the rapid proteolysis of glycinin by
sues of developing and germinating wheat	pepsin and trypsin 1282
kernels	pepsin and trypsin
Changes in the catalases of wheat	
during kernel growth and maturation	
820	MacArthur I A and R I D'Annolonia
Kuroda, N., M. Ohnishi, and Y. Fujino. Sterol	MacArthur, L. A., and B. L. D'Appolonia. The carbohydrates of various pin milled
lipids in rice bran 997	
Kwolek, W. F. (see W. T. Yamazaki) . 352	and air-classified flour streams. II. Starch
(see E. B. Lillehoj) 366	and pentosans
(see O. L. Shotwell) 620	MacDonald, B. (see S. Sefa-Dedeh) 813
(see D. I. Fennell) 770	MacFarland, G. (see K. Lorenz) 281
(See D. I. Pellilell) 170	Maga, J. (see K. Lorenz) 281
	Magoffin, C. D., P. L. Finney, and K. F.
	Finney. Short-time baking systems. II. A
Lai, F. S. (see J. D. Hubbard) 778	70-min sugar-free formula for
Larsson, K. (see B. Gohl) 690	conventional and high-protein breads
Launay, B., J. Buré, and J. Praden. Use of the	
amount of the party and or a reaction of the	

Mak, A. S. (see B. L. Jones) 511 Maneval, R. D. (see W. C. Shuey) 42	Warner, and G. E. Inglett. Effect of bound lipid on flavor of protein isolate from corn germ
Matsuo, R. R. (see J. E. Dexter)	Oberleas, D. (see B. F. Harland)
Mehrotra, V. K. (see W. Bushuk) 311 (see W. Bushuk) 320 (see W. Bushuk) 326 Mertz, E. T. (see B. A. K. Chibber) 558 Meyer, S., and D. H. Calloway. Gastrointestinal response to oat and wheat milling	Patel, K. M., J. F. Caul, and J. A. Johnson. Horsebean as protein supplement in bread- making. III. Effects of horsebean protein on aroma and flavor profile of Moroccan- type bread
fractions in older women	(see P. W. Voisey) 534and P. W. Voisey. Rapid method for the determination of diastatic activity of cereal flours using the Ottawa Starch Viscometer
Nagao, S., S. Ishibashi, S. Imai, T. Sato, T. Kanbe, Y. Kaneko, and H. Otsubo. Quality characteristics of soft wheats and their utilization in Japan. II. Evaluation of wheats from the United States, Australia, France, and Japan	Pfeifer, V. F. (see A. C. Stringfellow) 415 Pomeranz, Y., M. D. Shogren, K. F. Finney, and D. B. Bechtel. Fiber in bread- making—effects on functional properties
Quality characteristics of soft wheats and their utilization in Japan. III. Effects of crop year and protein content on product quality	(see J. D. Hubbard)
Nielsen, H. C., J. S. Wall, J. K. Mueller, K.	fiber bread containing brewer's spent grain

Preston, K. (see J. E. Kruger) 167 Püskülcü, M. (see V. L. Youngs) 803 Puyat, L. V. (see G. S. Ranhotra) 496	of polysaccharides from yam (<i>Dioscorea</i>) and cassava flours on the rheological behavior of wheat dough 813 Seguchi, M., and J. Matsuki. Studies on pancake baking. I. Effect of chlorination of flour on pan-cake qualities 287 and Studies on pan-
Rand, W. M. (see V. R. Young) 929 Ranhotra, G. S., R. J. Loewe, and L. V. Puyat. Bioavailability and functionality (breadmaking) of zine in various organic and inorganic sources	cake baking. II. Effect of lipids on pan- cake qualities
Reichert, R. D., and C. G. Youngs. Dehulling cereal grains and grain legumes for developing countries. II. Chemical composition of mechanically and traditionally dehulled sorghum and millet	Seib, P. A. (see E. D. Weak)
Rha, C. K. (see C. J. Lynch)	H. E. Mohr, R. Burroughs, and D. E. Sauer. Ergosterol as an indicator of fungal invasion in grains 1207 Sethi, R. K., G. L. Soni, and S. L. Chopra. Varietal differences in chickpea flour (circular differences)
soybean	erarietinum) in relation to water vapor sorption
(see H. C. Jeffers) 1018 Rubin, S. H., A. Emodi, and L. Scialpi. Micronutrient additions to cereal grain products 895 Ruzza, N. A. (see V. A. De Stefanis) 13	Shogren, M. D. (see Y. Pomeranz)
	Rubenthaler. Note on determination of gas production
Saio, K., D. Gallant, and L. Petit. Electron microscope research on sunflower protein bodies	Shotwell, O. L., M. L. Goulden, E. B. Lillehoj, W. F. Kwolek, and C. W. Hesseltine. Aflatoxin occurrence in 1973 corn at harvest. III. Aflatoxin distribution in contaminated, insect-damaged corn
(see S. Nagao)	Shuey, W. C., R. D. Maneval, and J. W. Dick. Eighty per cent extraction flour by tail-end regrinding and redressing 42 (see C. A. Watson) 64 (see C. A. Watson) 189 (see J. W. Dick) 246
Scrimshaw, N. S. (see V. R. Young) 929 Sefa-Dedeh, S., and V. F. Rasper. Watersoluble nonstarchy polysaccharides of composite flours. I. Chemical nature of polysaccharides from yam (Dic corea) and cassava flours	(see S. Vasiljevic)
Water-soluble nonstarchy polysac- charides of composite flours. II. The effect	amylases from triticale 6A190: purification and characterization 1270

Singh, U., and L. V. S. Sastry. Studies on the proteins of the mutants of barley grain. I. Extraction and electrophoretic characterization.	Tkachuk, R. (see D. P. Law) 256 Tsai, C. Y. (see R. A. Jones) 565 Tsen, C. C. (see O. K. Chung) 857
Zation 1 Skoch, E. R., S. F. Binder, and C. W. Deyoe. Studies on waste potato starch and corn in urea-containing liquid supplements using in vitro rumen fermentation 1218 Smith, R. R. (see V. L. Youngs) 803 — (see D. R. Goforth) 1249 Soni, G. L. (see R. K. Sethi) 79 Sosulski, F. W. (see S. E. Fleming) 1124 — (see S. E. Fleming) 1238 Sprick, K. J. (see C. A. Watson) 189 Springsteen, E., M. E. Zabik, and M. A. M. Shafer. Note on layer cakes containing 30 to 70% wheat bran 193 Steele, E. M. (see H. D. Scobell) 905 Steinke, F. H. Protein efficiency ratio pitfalls and causes of variability: A review 949 Stenvert, N. L., and K. Kingswood. Factors influencing the rate of moisture penetration into wheat during tempering 627 Stermer, R. A., Y. Pomeranz, and R. J. M. c. Ginty. Infrared reflectance spectroscopy for estimation of moisture of whole grain 345 Stringfellow, A. C., O. L. Brekke, V. F. Pfeifer, L. H. Burbridge, and E. L. Griffin. Fractionation of defatted wheat-and corngerm flours by air-classification 415	Van De Rovaart, P. (see O. De Rham) 238 Vasiljevic, S., O. J. Banasik, and W. C. Shuey. A micro unit for producing durum semolina
	Wolf, W. J. (see A. C. Eldridge) 1229
Tam, S. W. (see R. Dam)	Yamazaki, W. T., J. R. Donelson, and W. F. Kwolek. Effects of flour fraction composition on cookie diameter 352 Young, V. R., W. M. Rand, and N. S. Scrimshaw. Measuring protein quality in humans: A review and proposed method
"unmixing" characteristics of dough 92	Zabik, M. E. (see E. Springsteen) 193 Zuber, M. S. (see D. I. Fennell) 770

SUBJECT INDEX

SUBJECT	TINDEX
Aflatoxin corn harvest, 1973; in contaminated, insect- damaged corn (Shotwell et al.) 620 destruction of; during fermentation and by- product isolation from artificially contaminated grains (Dam et al.) 705 in corn before harvest; production by isolates from corn silks and corn insects (Fennell et al.)	pentosans on dough, bread and bread staling rate (Kim and D'Appolonia) 225 qualities of straight-grade and extended-extraction flours (Watson et al.) 657 seventy-minute sugar-free formula for conventional, high-protein breads (Magoffin et al.) 760 Barley Barley B-glucan determination (Wood et al.) .524 early-harvested; carbohydrates in (Gohl et al.) 690
Air classification adjustment of rheological properties of flours by (Dick et al.)	hulled, hull-less cultivars; effects of nitrogen fertilization on selected amino acids of (Pomeranz et al.)
Amino acids composition of dark and yellow hard kernels separated from red winter wheat (Hubbard et al.)	Bran effect of mill by-products and soy protein on the physical characteristics of expanded snack foods (Breen et al.)
measuring protein quality in humans (Young et al.)	Bread and breadmaking binding of crumb softeners and dough strengtheners (De Stefanis et al.) 13 bioavailability and functionality of zinc (Ranhotra et al.) 496 bran and fiber in (Ponieranz et al.) 25 characterization of starches from various tubers and their use in (Ciacco and D'Appolonia) 1096
Baking effect of chlorination of flour on pan-cake qualities (Seguchi and Matsuki) 287 effects of pH, mixing time, and moisture level on the quality of pan-cake from reconstituted flour (Seguchi and Matsuki) 1056 enhancement of maturing agents by metaphosphates (Vidal and Gerrity) 272 lipids on pan-cake qualities (Seguchi and Matsuki) 918 malt interdependence in a sugar-free	effect of horsebean flour and protein isolate on aroma and flavor profile (Patel et al.)
formula (Finney et al.)	enhancement of maturing agents by metaphosphates (Vidal and Gerrity)

factors affecting mechanical dough development (Tipples and Kilborn) . 92 high-fiber (Prentice and D'Appolonia)	II. starch and pentosans (MacArthur and D'Appolonia)
	Cellulose
1084	fiber in breadmaking (Pomeranz et al.)
properties of concentrated plant proteins by vital gluten and dough conditioners (Floring and Soculeti)	
(Fleming and Sosulski) 1124 quality; as affected by methyl bromide	Cereal grains
fumigation (Orth et al.) 713 quality; effects of wide microwave power	lipid content of; milled and baked products (Weihrauch and Matthews) 444
range (Doty and Baker)	pressure digestion of (Lorenz et al.) 281
conventional high-protein (Magaffin et al.)	Corn
storage stability with several surfactant	aflatoxin in (Lillehoj et al.)366
additives (Bean et al.) 1159	aflatoxins; a new method for quantitation (Seitz and Mohr)
using defatted and reconstituted wheat	changes in lysine and tryptophan content
flours. I. (Chung et al.) 454 using defatted and reconstituted wheat	during germination of normal and mutant seeds (Jones and Tsai)
flours. II. (Chung et al.) 484	contaminated, insect-damaged; aflatoxin
water binding by differential thermal	distribution in (Shotwell et al.) 620
analysis; melting mode (Bushuk and Mehrotra)	effect of mill by-products and soy protein on
with fortified flours (Rubin et al.) 895	the physical characteristics of expanded snack foods (Breen et al.)
Brewers' spent grain	enzymatic hydrolysis of starch granules
high-fiber bread (Prentice and	from several endosperm mutants (Fuwa et
D'Appolonia) 1084	al.)
Cake and cookies	in (Seitz et al.) 1207
baking properties of peanut flour by	estimation of moisture by infrared
enzymatic and chemical hydrolysis	spectroscopy (Stermer et al.) 345
(Beuchat)	fractionation and characterization of alcohol-soluble reduced corn endosperm
cookie diameter; effects of flour fraction	glutelin proteins (Paulis and Wall)
composition on (Yamazaki et al.) 352	
layer cakes containing 30 to 70% wheat bran (Springsteen <i>et al.</i>) 193	fractionation of by air classification
nutrient composition of selected wheat	(Stringfellow et al.) 415
products (Matthews and Workman)	germ protein isolate; germ effect of, bound lipid on flavor of (Nielsen et al.) 503
quality characteristics of soft wheats (Nagao	insects and Aspergillus flavus; aflatoxin in
et al.)198	(Fennell et al.)
Contrator	mutant seeds (Chibber et al.) 558
Carbohydrates β -glucan determination in oats and barley	micronutrient additions to cereal grain
(Wood et al.) 524	products (Rubin et al.) 895 protein and oil contents; variation by years
chemical nature of polysaccharides from	(Earle)
vam and cassava flours (Sefa-Dedeh and	starches compared with amylose starch
Rasper) 746	(Vose)
distribution in early-harvested barley grain	storage; chitin as a measure of fungal growth
(Gohl et al.) 690	(Donald and Mirocha) 466
effect of polysaccharides from yam and	two-dimensional TLC procedure for
cassava flours on the rheological behavior	determining aflatoxins in (Alexander and
of wheat dough (Sefa-Dedeh et al.)	Baur) 699
mixtures; analysis with automated liquid	
mixtures; analysis with automated liquid chromatographic system (Scobell et al.)	Dalastina
905	Dehulling
pin milled and air-classified flour streams.	cereal grains and grain legumes for

developing countries (Reichert and Youngs) 174	inhibition by alcohol (Eldridge et al.)
	proteolytic; distribution of
Dough	carboxypeptidases in developing and
Chopin Alveographe as a rheological tool; deformation measurements of (Launay et al.)	germinating wheat kernels (Kruger and Preston)
conditioning effect of 6-acyl esters of L-	F4-
ascorbic and D-isoascorbic acids (Hoseney et al.) 1062	Errata Alexander, R. J., and M. C. Baur (Vol. 54, p. 699)
crumb softeners, strengtheners; binding during breadmaking (De Stefanis et al.)	Hackler, L. R. (Vol. 54, p. 984) 1170
effect of certain compounds on mixing properties (Weak et al.) 794 effect of polysaccharides on rheological	Fermentation destruction of aflatoxins during (Dam et al.)
behavior of (Sefa-Dedeh <i>et al.</i>) 813 gas production (Shogren <i>et al.</i>) 665	produced in preferments (Ling and Hoseney) 597
influence of rest period on mixing and "unmixing" (Tipples and Kilborn) 92 lipid composition in; levels of surfactants in (Chung and Tsen)	rumen, studies on waste potato starch and corn in liquid supplements using (Skoch et al.)
properties in biaxial extension (Launay et	Fertilizer
al	nitrogen; effects on selected amino acids of
sample 100-g dough molder (Shogren and Finney)	hulled and hull-less barley cultivars (Pomeranz et al.)
sheeting of durum wheat (Feillet et al.)	
	Fiber
straight-grade and extended-extraction flours (Watson et al.)	brewer's spent yeast in bread (Prentice and D'Appolonia) 1084 effect of mill by-products and soy protein on the physical characteristics of expanded snack foods (Breen et al.) 728 effects of functional properties in breadmaking (Pomeranz et al.) 25 in cereals (Baker) 360
water binding by differential thermal	
analysis. II.; effect of mixing, protein	Flour
content, damaged starch, improvers and	Agtron reflectance values of (Watson and
salt on bound water (Bushuk and	Shuey) 64
Mehrotra) 320	aqueous extracts; ash distribution in; relation to electrical conductivity (Clements)
Enzymes aspartokinase levels in germinating normal	bread; acid effect on solubilized glutens of
and opaque-2 maize (Chibber et al.)	good and poor quality (D. R. Goforth et al.)
changes in the catalases of wheat during kernel growth and maturation (Kruger)	cassava; effect of polysaccharides from on the rheological behavior of wheat dough
820	(Sefa-Dedeh et al.) 813
comparative susceptibility to amylases of starches from different plant species and several single endosperm mutants and their	chickpea; varietal differences in, in relation to water vapor sorption (Sethi et al.)
double-mutant combinations with	chlorination of on pan-cake qualities
opaque-2 inbred Oh43 maize (Fuwa et al.)	(Seguchi and Matsuki) 287
	composite; water-soluble nonstarchy
determination of diastatic activity of cereal	polysaccharides of (Sefa-Dedeh and
flours using the Ottawa Starch Viscometer (Paton and Voisey)	Rasper)

Ottawa Starch Viscometer (Paton and	Germination
Voisey)	maize seed; changes in lysine and tryptophan content (Jones and Tsai)
absorption (Lorenz et al.) 281	
effect of roll temperature with the	normal and opaque-2 maize; changes in
Brabender Quadrumat (Jeffers and Rubenthaler) 1018	lysine (Chibber et al.) 558
effects of mixer speed, dough temperature and water absorption (Baig and Hoseney)	Gliadin homology; revealed through N-terminal
605	amino acid sequence analysis (Bietz et al.)
eighty per cent extraction, by tail-end regrinding and redressing (Shuey et al.)	Gluten 1070
fortified (Rubin et al.) 895	near infrared diffuse reflectance spectra of
fraction composition; effects on cookie	wheat and wheat components (Law and
diameter (Yamazaki et al.) 352	Tkachuk) 256
fractionation of by air classification (Stringfellow et al.)	solubilized; effect of functional properties of (D. R. Goforth et al.) 1249
hard red spring wheat, estimating ash	starch wash water; removing protein from
content of flour mill streams (Watson et al.)	(Finley) 131
legume-wheat blends, rheological and	Glutenin
baking studies (D'Appolonia) 53 pin milled, air-classified (MacArthur and	effect of fatty acids and their sodium salts on solubility in water (Kobrehel and Bushuk)
D'Appolonia) 669	833
quality; as affected by methyl bromide	subunit composition (Khan and Bushuk)
fumigation (Orth et al.) 713 quality; effects of wide microwave power	Bushuk)
range (Doty and Baker) 717	Insects
reconstituted; effects of pH, mixing time	as vectors of Aspergillus flavus; population
and moisture level on quality of pan-cake	differences on two corn hybrids (Fennell et al.)
(Seguchi and Matsuki) 1056 residues in resulting from malathion	w.,
application in an operating mill	Instruments and instrumentation
(McGregor) 1286	effect of wheat class on near infrared reflectance (Watson et al.) 1264
rheological properties, air-classified (Dick et al.)	estimation of moisture by infrared
soy fortified with several surfactants (Bean	spectroscopy (Stermer et al.) 345
et al.) 1159	micro unit for producing durum semolina
straight-grade and extended-extraction,	(Vasiljevic et al.)
physical dough, baking, and nutritional	mill (McGinty et al.)
qualities (Watson et al.) 657 suspensions; electrical conductivity of	near infrared diffuse reflectance spectra
(Clements) 847	(Law and Tkachuk)
thirty to 70% wheat bran in layer cakes	one hundred-g dough molder (Shogren and Finney)
(Springsteen <i>et al.</i>) 193	Ottawa Starch Viscometer (Voisey et al.)
ultrastructural changes in proteins during fixation and embedding (Crozet) . 1108	
varying in breadmaking quality, effects of	small-scale laboratory equipment for
solvent type and extracting conditions on	separating germ from wheat (Bolte and Finney)306
(Chung et al.)	Timey)
wheat; defatted and reconstituted (Chung et al.)454	Iron
wheat lipids, quantitative studies of by elution method (Clements) 1198	availability from bread for hemoglobin regeneration (Miller)572
wheat; protein properties from selected mill	Linida
streams (Nelson and McDonald) . 1182	Lipids effect of bound lipid on flavor of protein
wheat; Soxhlet extraction of (Clements)	isolate from corn germ (Nielsen et al.)

effect on pan-cake qualities (Seguchi and Matsuki)	rapid method determination of diastatic activity of cereal flours using the Ottawa Starch Viscometer (Paton and Voisey)
extractability in various temperatures (Chung et al.)	polyacrylamide gel electrophoresis (Kahn and Bushuk)
(Clements)	(Harland and Oberleas) 827
oat; composition and distribution of components (Youngs et al.)	use of Chopin Alveographe as a rheological tool. II. dough properties in biaxial extension (Launay and Buré) 1152
sterol; in rice bran (Kuroda et al.)	Milling
997	Agtron reflectance values of flour (Watson
wheat-flour, quantitative studies of by an elution method (Clements)	and Shuey)
lethods	effect of roll temperature on flour yield with
Agtron reflectance values of flour (Watson	the Brabender Quadrumat (Jeffers and
and Shuey)64	Rubenthaler
atomic absorption spectrophotometry; in estimating ash content of hard red spring wheat (Watson et al.)	eighty per cent extraction flour by tail-end regrinding and redressing (Shuey et al.)
automated liquid chromatographic system	evaluation of durum wheat (Shuey et
for analysis of carbohydrate mixtures	al.)
(Scobell et al.)	fractionation of defatted wheat and corn
β -glucan determination in oats and barley	germ flours by air classification
(Wood et al.)	(Stringfellow et al.)
bread studies using the melting mode	hard red spring wheat; effects of microwave
(Bushuk and Mehrotra)326	conditioning (Doty and Baker)717
determining the extent of fungal invasion in	malathion residues found in mill fractions
grains by an ergosterol assay (Seitz et	(McGregor)
al.)1207	micro unit for producing durum semolina
dough studies using the boiling mode	(Vasilijevic et al.)
(Bushuk and Mehrotra)311	rheological properties; air-classified flour (Dick et al.)
dough studies using the melting mode	(Dick et al.)
(Bushuk and Mehrotra)320	
fiber in cereals (Baker)	24:
flour-water mixograms, effects of mixer speed, dough temperature and water	Minerals
	calcium binding by hydroxypropyl distarch phosphate and unmodified starches (Hood
absorption on (Baig and Hoseney) 605 gas production rate (Shogren <i>et al.</i>) 665	and O'Shea)266
glucoamylase and o-toluidine for starch	cereal grains, flours (Lorenz et al.)
(Chiang and Johnson)	
moisture content in wheat by near-infrared	content and composition in wheat kernels
diffuse reflectance spectrophotometry	(Dikeman and Pomeranz) 183
(Law and Tkachuk) 874	effect of certain nutrients on the gas
moisture estimation by infrared	produced in preferments (Ling and
spectroscopy (Stermer et al.)345	Hoseney)597
pressure digestion of cereal grains and flours	estimating ash content of flour mill streams
for mineral analysis by atomic absorption	of hard red spring wheat (Watson et al.)
(Lorenz et al.)	
quantitation of aflatoxin in corn (Seitz and	micronutrient additions to cereal grain
Mohr)	products (Rubin et al.)
quantitative studies of wheat-flour lipids by	zinc bioavailability and functionality
an elution method (Clements)	(Ranhotra et al.)

Nutrition application of animal data to human protein nutrition (Bodwell)	phytate analysis using ion-exchange procedure: application to textured vegetable proteins (Harland and Oberleas)
acyl esters of L-ascorbic acid (Hoseney et al.)	Proteins amino acid sequences (Jones and Mak)
bread fortified with concentrated plant proteins and lysine (Fleming et al.) 1238 composition of selected wheat products (Matthews and Workman) 1115 fiber in cereals (Baker) 360 iron in bakery products for hemoglobin regeneration in anemic rats (Miller) 772 PER of soy and whey protein mixtures and its decrease by alkaline treatment (De Rham et al.) 238 protein efficiency ratio pitfalls and causes of variability (Steinke) 949 protein quality in humans (Young et al.) 929 straight-grade and extended-extraction flours (Watson et al.) 657 tempeh and miso from chickpea, horsebean, and sovbean (Robinson and Kao) 1192	and oil contents of corn; variation by years (Earle)
	D'Appolonia)
Pasta effect of durum wheat air-classified flours on spaghetti quality (Breen et al.) 737 semolina protein changes during spaghetti processing (Dexter and Matsuo) 882	threonine and methionine of hulled and hull-less barley cultivars (Pomeranz et al.)
Peanuts	protein bodies (Saio et al.) 1171
modification of cookie-baking properties of peanut flour by enzymatic and chemical hydrolysis (Beuchat)405	fractionation and characterization of alcohol-soluble reduced corn endosperm glutelin proteins (Paulis and Wall) . 1223 gliadin homology, revealed through N-
Pentosans carbohydrates of various pin milled and air- classified flour streams (MacArthur and D'Appolonia)	terminal amino acid sequence analysis (Bietz et al.)
Phytic acid comparison of scutellar and aleurone electron-dense particles by transmission	of mutants of barley grain (Singh and Sastry)

electron microscopy including energy-

dispersive X-ray analysis (Tanaka et

phytate analysis using ion-exchange
procedure: application to textured
vegetable proteins (Harland and
Oberleas)
phytin-containing particles isolated from
rice scutellum (Ogawa and Kasai) 1029
roteins
amino acid sequences (Jones and Mak)
and oil contents of corn; variation by years
and oil contents of corn: variation by years
(Earle)70
application of animal data to human
nutrition (Bodwell) 958
binding of crumb softeners and dough
strengtheners during breadmaking (De
Stefanis et al.)
compositional changes in the developing
grain of high- and low-protein wheat
(Donovan et al.)
concentrated plant; nutritive value of bread
fortified with (Fleming et al.) 1238
dark hard and yellow hard kernels separated
from red winter wheat (Hubbard et al.)
effect of staling rate and bread crumb
pasting properties (Kim and
D'Appolonia)
effect on the role of starch (Kim and
D'Appolonia)
effects of nitrogen fertilization on lysine,
threonine and methionine of hulled and
hull-less barley cultivars (Pomeranz et
al.)
efficiency ratio pitfalls and causes of
variability (Steinke)949
electron microscope research on sunflower
protein bodies (Saio et al.) 1171
fractionation and characterization of
alcohol-soluble reduced corn endosperm
glutelin proteins (Paulis and Wall) . 1223
gliadin homology, revealed through N-
terminal amino acid sequence analysis
(Bietz et al.)
high- and low-protein wheats.
nigh- and low-protein wheats,

germinating maize seeds (Chibber et al.)

plant; breadmaking properties in (Fleming

and Sosulski)	alkaline pH (De Rahm et al.) 238 rapid proteolysis of glycinin by pepsin and trypsin (Lynch et al.)
semolina; changes during spaghetti processing (Dexter and Matsuo) 882	amylose starch characteristics compared with corn and wheat starches (Vose)
soy, cheese whey; fortification of (De Rham et al.)238 wheat flour; properties of from selected mill stream (Nelson and McDonald)	binding of crumb softeners and dough strengtheners (De Stefanis et al.) 13 carbohydrates of various pin milled and air- classified flour streams (MacArthur and
wheat-flour; ultrastructural changes in during fixation and embedding (Crozet)	D'Appolonia)
Rice	effect of heating on the freeze-etch ultra-
comparison of scutellar and aleurone electron-dense particles by transmission electron microscopy including energy-dispersive X-ray analysis (Tanaka et al.)	structure of hydroxpropyl distarch phosphate and unmodified tapioca (Allen et al.)
120	baking (Ciacco and D'Appolonia) 1096 gelatinization in extruded products (Chiang
Rve	and Johnson)
alkylresorcinols (Verdeal and Lorenz)	gels (Kim and D'Appolonia)150
	in snack foods (Breen et al.) 728
Scanning electron microscopy of bread (Pomeranz et al.)	near infrared diffuse reflectance spectra of wheat and wheat components (Law and Tkachuk)
Sorghum estimation of moisture content by infrared spectroscopy (Stermer et al.)	water (Finley)
high-lysine grain; yield and chemical composition of fractions from the dry milling of (Anderson et al.)855	Storage effect on Agtron reflectance values of flour (Watson and Shuey)
Soybeans alcohol treatment of; improved flavor (Eldridge et al.)	stability of soy-fortified wheat flour blends (Bean <i>et al.</i>)
protein; effect on the physical characteristics of expanded snack foods (Breen et al.)	Sugar gastrointestinal response to oat and wheat milling fractions in older women (Meyer and Calloway)

Surfactants	evaluation of soft wheats from different
binding of crumb softeners and dough	parts of the world and their utilization in
strengtheners during breadmaking (De	Japan (Nagao et al.)
Stefanis et al.)	a/)
soy-fortified wheat-flour blends. IV. storage	flours; large-scale laboratory Soxhlet
stability (Bean et al.)	extraction of (Clements) 865
statistics (beautifully continued to	germination; effects of methyl bromide
Triticale	fumigation on (Orth et al.)713
alkylresorcinols in (Verdeal and Lorenz)	gliadin homology; revealed through N-
475	terminal amino acid sequence analysis
semi-dwarf; agronomic and baking	(Bietz et al.)
performance of (Lorenz and Welsh)	hard red spring; effects of microwave
1049	conditioning (Doty and Baker) 717
6A190; α-amylases from; purification and	hard red winter; kernel weight distribution
characterization (Silvanovich and	(Watson and Heyne)161
Hill)1270	hard red winter; mineral and protein contents (Dikeman and Pomeranz) . 183
	hexaploid (Jones and Mak)511
Vitamins	high- and low-protein wheat; chemical
micronutrient additions to cereal grain	composition (Donovan et al.)638
products (Rubin et al.)895	high- and low-protein; compositional
	changes in development; starcif synthetic
Wheat	capacity; protein synthetic capacity;
	environmental influences (Lee and Hill)
alkylresorcinols in (Verdeal and Lorenz)	
catalases during kernel growth and	micro unit for producing durum semolina
maturation (Kruger)820	(Vasiljevic et al.)
changes in semolina proteins during	(Meyer and Calloway)110
spaghetti processing (Dexter and Matsuo)	moisture content in; near-infrared diffuse
	reflectance spectrophotometry of (Law
defatted; fractionation of by air	and Tkachuk)
classification (Stringfellow et al.) 415	near infrared diffuse reflectance spectra
distribution of carboxypeptidases in	(Law and Tkachuk) 256
anatomical tissues of kernels (Kruger and	nutrient composition of selected products
Preston)	(Matthews and Workman) 1115
durum; air classification of; in spaghetti,	rate of moisture penetration during
pasta (Breen et al.)	tempering (Stenvert and Kingswood)
(Shuey et al.)	small-scale laboratory equipment for
durum; modifications in protein properties	separating germ (Bolte and Finney) 306
(Feillet et al.)580	soft wheat; effect of crop year and protein
effect of mill by-product and soy protein on	content on product quality in Japan
the physical characteristics of expanded	(Nagao et al.)300
snack foods (Breen et al.)728	soy-fortified wheat flour (Bean et al.)
effect of wheat class on near infrared	
reflectance (Watson et al.)1264	starches compared with amylose starch
eighty per cent extraction flour (Shuey et	characteristics (Vose)
ergosterol as an indicator of fungal invasion	winter; amino acid composition variations
in (Seitz et al.)	of dark hard and vitreous and yellow hard

ergosterol as an indicator of fungal invasion in (Seitz et al.)......1207

Cereal Chemistry

Published by The American Association of Cereal Chemists, Inc.

Scientific Editor	Welker G. Bechtel
Publications Manager	Steven C. Nelson
Technical Editor	
Publisher Ra	aymond J. Tarleton

Board of Editors:

R. J. ALEXANDER K. LORENZ R. A. ANDERSON Y. POMERANZ G. W. PRATT D. W. AXFORD J. N. BEMILLER J. J. RACKIS P. A. SEIB A. A. BETSCHART D. A. FELLERS W. C. SHUEY D. T. HOPKINS C. D. STONE V. J. KELLEY B. D. WEBB L. T. KISSELL V. L. YOUNGS D. E. LaBERGE

> VOLUME 54, NOS. 1-6 JANUARY-NOVEMBER 1977

> > St. Paul. Minnesota

CONTENTS

VOLUME 54, NUMBER 1, JANUARY-FEBRUARY 1977

1
)
)
)
3
)
7
1
3
7
9
9
8 5

VOLUME 54, NUMBER 2, MARCH-APRIL 1977

CONTENTS	PAGE
Don't Coding Coding I. Effort of Don't Contact on Coding Day	
Bread Staling Studies. I. Effect of Protein Content on Staling Rate an Bread Crumb Pasting Properties. S. K. Kim and B. L. D'Appolonia	
on the Role of Starch. S. K. Kim and B. L. D'Appolonia	Derature 216
Bread Staling Studies. III. Effect of Pentosans on Dough, Bread, and Staling Rate. S. K. Kim and B. L. D'Appolonia	Prond
Comparative Susceptibility to Amylases of Starches from Different Pl Species and Several Single Endosperm Mutants and their Double-N	ant Iutant
Combinations with Opaque-2 Inbred Oh43 Maize. H. Fuwa, M. Na A. Hamada, and D. V. Glover	kajima, 230
Fortification of Soy Protein with Cheese Whey Protein and the Effect	of u and
J. Hidalgo Adjustment of Rheological Properties of Flours by Fine Grinding and	Air
Classification. J. W. Dick, W. C. Shuey, and O. J. Banasik	246
Near infrared Diffuse Reflectance Spectra of Wheat and Wheat Comp D. P. Law and R. Tkachuk	oonents 256
Calcium Binding by Hydroxypropyl Distarch Phosphate and Unmodi L. F. Hood and G. K. O'Shea	fied Starches.
Enhancement of Maturing Agents by Metaphosphates, F. D. Vidal and	nd A. B.
Gerrity Research Note on Pressure Digestion of Cereal Grains and Flours for	Mineral
Analysis by Atomic Absorption. K. Lorenz, G. MacFarland, and J. Studies on Pan-Cake Baking. I. Effect of Chlorination of Flour on Paqualities. M. Seguchi and J. Matsuki	ın-Cake
Quality Characteristics of Soft Wheats and their Utilization in Japan. Effects of Crop Year and Protein Content on Product Quality: S. /	III.
S. Ishibashi, S. Imai, T. Sato, T. Kanbe, Y. Kaneko, and H. Otsub	o 300
Note on Small-Scale Laboratory Equipment for Separating Germ froi L. C. Bolte and K. F. Finney	m Wheat.
Studies of Water Binding by Differential Thermal Analysis. I. Dough Studies using the Boiling Mode. W. Bushuk and V. K. Mehrotra.	
Studies of Water Binding by Differential Thermal Analysis. II. Dougl	1
Studies using the Melting Mode. W. Bushuk and V. K. Mehrotra Studies of Water Binding by Differential Thermal Analysis. III. Bread	1
Studies using the Melting Mode, W. Bushuk and V. K. Mehrotra Chromatographic Fractionation and Composition of the Components Soluble Proteins from Hiproly (Cl 3947) and Hiproly Normal (Cl	of the Salt-
Barleys. A. M. El-Negoumy, C. W. Newman, and B. R. Moss	
Infrared Reflectance Spectroscopy for Estimation of Moisture of Wh. R. A. Stermer, Y. Pomeranz, and R. J. McGinty Effects of Flour Fraction Composition on Cookie Diameter. W. T. Y.	
J. R. Donelson, and W. F. Kwolek	352
Determining Fiber in Cereals. D. Baker Aflatoxin and Aspergillus flavus Occurrence in 1975 Corn at Harvest	
Limited Region of Iowa. E. B. Lillehoj, D. I. Fennell, and W. F. B. Easters for Converting Bushel Weight to Hectoliter Weight for Six C	(wolek 366
Grains, Flax, and Soybeans. W. T. Greenaway, C. A. Watson, and	G. Davis 373
Horsebean as Protein Supplement in Breadmaking. III. Effects of Horsebean Protein on Aroma and Flavor Profile of Moroccan-Ty	pe
Horsebean Protein on Aroma and Flavor Profile of Moroccan-Tyl Bread. K. M. Patel, J. F. Caul, and J. A. Johnson Nonfat Dry Milk Fractions in Breadmaking. II. Effect on Oxidation	379
Requirement R S Ling R C Hoseney and P L Finney	388

VOLUME 54, NUMBER 3, MAY-JUNE 1977

CONTENTS	AGE
A Micro Unit for Producing Durum Semolina. S. Vasiljevic,	
O. J. Banasik, and W. C. Shuey Modification of Cookie-Baking Properties of Peanut Flour by	. 397
Enzymatic and Chemical Hydrolysis. L. R. Beuchat Fractionation of Defatted Wheat- and Corn-Germ Flours by Air Classification.	. 405
A. C. Stringfellow, O. L. Brekke, V. F. Pfeifer, L. H. Burbridge, and E. L. Griffin Measurement of Total and Gelatinized Starch by Glucoamylase and	
o-Toluidine Reagent. BY. Chiang and J. A. Johnson Gelatinization of Starch in Extruded Products. BY. Chiang and	
J. A. Johnson Lipid Content of Selected Cereal Grains and Their Milled and Baked	
Products. J. L. Weihrauch and R. H. Matthews Defatted and Reconstituted Wheat Flours. I. Effects of Solvent and Soxhlet Types on Functional (Breadmaking) Properties. O. K. Chung,	. 444
Y. Pomeranz, K. F. Finney, J. D. Hubbard, and M. D. Shogren Chitin as a Measure of Fungal Growth in Stored Corn and Soybean	. 454
Seed. W. W. Donald and C. J. Mirocha	
Lorenz Defatted and Reconstituted Wheat Flours. JI. Effects of Solvent Type and Extracting Conditions on Flours Varying in Breadmaking Quality.	
O. K. Chung, Y. Pomeranz, K. F. Finney, and M. D. Shogren Bioavailability and Functionality (Breadmaking) of Zinc in Various Organic and Inorganic Sources. G. S. Ranhotra, R. J. Loew, and L. V. Puyat	
Germ. H. C. Nielsen, J. S. Wall, J. K. Mueller, K. Warner, and	
G. E. Inglett Amino Acid Sequences of the Two α-Purothionins of Hexaploid Wheat.	
B. L. Jones and A. S. Mak Determination of β-Glucan in Oats and Barley. P. J. Wood, D. Paton,	
and I. R. Siddiqui The Ottawa Starch Viscometer—A New Instrument for Research and Quality Control Applications. P. W. Voisey, D. Paton, and G. E. Timbers	
Studies on Corn Proteins. XI. Distribution of Lysine During Germination of Normal and <i>Opaque-2 Maize</i> . B. A. K. Chibber,	
E. Voicu, E. T. Mertz, and D. V. Glover Changes in Lysine and Tryptophan Content During Germination of Normal and Mutant Maize Seed. R. A. Jones and C. Y. Tsai	
Availability of Iron in Several Commercial Bakery Products for Hemoglobin Regeneration in Anemic Rats. J. Miller	
Modifications in Durum Wheat Protein Properties During Pasta Dough Sheeting. P. Feillet, E. Fevre, and K. Kobrehel	
Studies of Glutenin. IX. Subunit Composition by Sodium Dodecyl Sulfate-Polyacrylamide Gel Electrophoresis at pH 7.3 and 8.9. K. Khan and W. Bushuk	
Effect of Certain Nutrients on the Gas Produced in Preferments. R. S.	
Ling and R. C. Hoseney Effects of Mixer Speed, Dough Temperature, and Water Absorption on	
Flour-Water Mixograms. M. M. Baig and R. C. Hoseney Note on a Simple 100-g Dough Molder. M. D. Shogren and K. F. Finney Aflatoxin Occurrence in 1973 Corn at Harvest. III. Aflatoxin Distribution in Contaminated. Insect-Damaged Corn. O. L. Shotwell.	616

Yellow Hard Kernels Separated from Red Winter Wheat. J. D. Hubbard,

Effect of Heating on the Freeze-Etch Ultrastructure of Hydroxypropyl Distarch

Phosphate and Unmodified Tapioca Starches. J. E. Allen, L. F. Hood, and J.F. Chabot . 783

Oat Lipids. I. Composition and Distribution of Lipid Components in Two Oat Cultivars. V. L. Youngs, M. Püskülcü, and R. R. Smith
J. E. Kruger
Studies of Glutenin. X. Effect of Fatty Acids and Their Sodium Salts on Solubility in Water. K. Kobrehel and W. Bushuk
Electrical Conductivity of Flour Suspensions and Extracts in Relation to Flour Ash. R. L. Clements
the Dry Milling of a High-Lysine Grain Sorghum. R. A. Anderson, H. F. Conway, and L. H. Burbridge
Lipids Associated with Doughs Containing Various Levels of Surfactants. O. K. Chung and C. C. Tsen
Cracked Grains. R. L. Clements
R. R. Matsuo
Automated Liquid Chromatographic System for Analysis of Carbohydrate Mixtures. H. D. Scobell, K. M. Brobst, and E. M. Steele
M. Seguchi and J. Matsuki
Measuring Protein Quality in Humans: A Review and Proposed Method. V. R. Young, W. M. Rand, and N. S. Scrimshaw
Steinke
L. R. Hackler
VOLUME 54, NUMBER 5, SEPTEMBER-OCTOBER 1977
CONTENTS PAGE
Sterol Lipids in Rice Bran. N. Kuroda, M. Ohnishi, and Y. Fujino
and P. W. Voisey Effect of Roll Temperature on Flour Yield with the Brabender Quadrumat Experimental Mills. H. C. Jeffers and G. L. Rubenthaler Note on Experimental Milling Evaluation of Durum Wheat W. C. Shirey
Note on Experimental Milling Evaluation of Durum Wheat. W. C. Shuey, J. W. Dick, and R. D. Maneval 1026 Note on the Phytin-Containing Particles Isolated from Rice Scutellum.
M. Ogawa, K. Tanaka, and Z. Kasai

CONTENTS	AGE
Electron Microscope Research on Sunflower Protein Bodies.	
K. Saio, D. Gallant, and L. Petit	1171
Properties of Wheat Flour Protein in Flour from Selected Mill	
Streams. P. N. Nelson and C. E. McDonald	1182
Tempeh and Miso from Chickpea, Horse Bean, and Soybean.	
R. J. Robinson and C. Kao	1192
Quantitative Studies of Wheat-Flour Lipids Extracted with Various	
Solvents by an Elution Method. R. L. Clements	1198
Ergosterol as an Indicator of Fungal Invasion in Grains.	
L. M. Seitz, H. E. Mohr, R. Burroughs, and D. B. Sauer	1207
Studies on Waste Potato Starch and Corn in Urea-Containing Liquid Supplements	
Using In Vitro Rumen Fermentation. E. R. Skoch, S. F. Binder, and C. W. Deyoe	. 1218
Fractionation and Characterization of Alcohol-Soluble Reduced	
Corn Endosperm Glutelin Proteins. J. W. Paulis and J. S. Wall	1223
Alcohol Treatment of Soybeans and Soybean Protein Products.	
A C Fldridge K Warner and W I Wolf	1229

Nutritive Value of Bread Fortified with Concentrated Plant Proteins and Lysine. S. E. Fleming and F. W. Sosulski	1238
Effect of Strength and Concentration of Acid on the Functional Properties of	
Solubilized Glutens of Good- and Poor-Quality Bread Flours.	
D. R. Goforth, K. F. Finney, R. C. Hoseney, and M. D. Shogren	1249
Short-time Baking Systems. III. Malt Interdependence in a Sugar-Free Formula.	
P. L. Finney, G. L. Rubenthaler, H. C. Jeffers, and P. D. Anderson	1259
Effect of Wheat Class on Near Infrared Reflectance. C. A. Watson,	
W. C. Shuey, O. J. Banasik, and J. W. Dick	1264
α-Amylases from Triticale 6A190: Purification and Characterization.	
M. P. Silvanovich and R. D. Hill	1270
Note on the Rapid Proteolysis of Glycinin by Pepsin and Trypsin.	
C. J. Lynch, C. K. Rha, and N. Catsimpoolas	1282
Note on Residues in Flour Resulting From Malathion Application in an	
Operating Mill. H. E. McGregor	1286
Author Index, Vol. 54	1288
Subject Index, Vol. 54	1295
Contents Index Vol 54	1303

